

**Breeder  
Management  
Supplement**

**Cobb700™**

breeder

**cobb-vantress.com**



# Cobb 700 Breeder Management Supplement

## Introduction

This Cobb Breeder Management Supplement is to be used in conjunction with the Cobb Breeder Management Guide and the Cobb Breeder Nutrition Supplement to assist you in building your management program. Management must not only meet the basic needs of the stock but also be fine tuned to attain the full potential of the breed. Our recommendations in this booklet are based on current scientific knowledge and practical experience, and reflect the genetic potential of the Cobb hen based on Total Egg and Hatch Percent records taken from the top 25% of Cobb flocks worldwide. This booklet should be used as a guide only, and adapted locally according to your own experience when projecting performance from all flocks in a particular operation. You should be aware of any local legislation which may influence the management practices that you should choose to adopt.

Please contact your Cobb Technical Representative for further assistance.

Revised 2008

## Breeder Performance

Age at depletion	(weeks) (days)	60 420	65 455
Age at 5% production	(weeks) (days)	24 168	24 168
Total eggs/hen housed		158.4	174.2
Hatching eggs/hen housed	(50g minimum)	154.4	169.8
Peak hatchability	(%)	90	90
Cumulative hatchability	(%)	85.3	84.5
Broiler chicks/hen housed		131.6	143.5
Livability from 24 weeks	(%)	93.4	92.9

		<b>DARK OUT</b>	<b>OPEN SIDED</b>
Female bodyweight (24 weeks)	(kg) (lb)	2.70 5.95	2.86 6.29
Female bodyweight (65 weeks)	(kg) (lb)	3.76 8.28	3.88 8.54

# Cobb 700 Breeder Management Supplement

## Female Dark-out Rearing

days	Age		Bodyweight		Body Weight Gain %
	weeks		grams	pounds	
0					
7	1		135	0.30	
14	2		270	0.60	100%
21	3		365	0.80	35%
28	4		455	1.00	25%
35	5		545	1.20	20%
42	6		635	1.40	17%
49	7		725	1.60	14%
56	8		815	1.80	12%
63	9		905	2.00	11%
70	10		1000	2.20	10%
77	11		1090	2.40	9%
84	12		1180	2.60	8%
91	13		1270	2.80	8%
98	14		1360	3.00	7%
105	15		1450	3.20	7%
112	16		1540	3.40	6%
119	17		1655	3.65	7%
126	18		1770	3.90	7%
133	19		1885	4.16	6%
140	20		2020	4.45	7%
147	21		2245	4.95	11%
154	22		2380	5.25	6%
161	23		2542	5.60	7%
168	24		2700	5.95	6%
175	25		2860	6.30	6%
182	26		2995	6.60	5%
189	27		3130	6.90	5%
196	28		3245	7.15	4%
203	29		3310	7.30	2%
210	30		3350	7.40	1%

Please refer to the Cobb Breeder Management Guide for general flock management recommendations, as well as guidelines concerning post peak feeding.

Weights correspond to the weekly anniversary date.

Weights for weeks 1 through 20 are off-feed weights. From 21 weeks onward, (or when the change is made to everyday feeding), birds can be weighed after a minimum of two hours has passed from the time of complete cleanup of the day's ration.

# Cobb 700 Breeder Management Supplement

## Female Open Sided Rearing

days	Age		Bodyweight		Body Weight Gain %
	weeks		grams	pounds	
0					
7	1		140	0.31	
14	2		270	0.60	93%
21	3		390	0.86	44%
28	4		490	1.08	26%
35	5		590	1.30	20%
42	6		685	1.51	16%
49	7		780	1.72	14%
56	8		870	1.92	12%
63	9		960	2.12	10%
70	10		1050	2.31	9%
77	11		1140	2.51	9%
84	12		1230	2.71	8%
91	13		1320	2.91	7%
98	14		1410	3.11	7%
105	15		1500	3.31	6%
112	16		1600	3.53	7%
119	17		1710	3.77	7%
126	18		1830	4.03	7%
133	19		1970	4.34	8%
140	20		2130	4.70	8%
147	21		2390	5.27	12%
154	22		2550	5.62	7%
161	23		2715	5.99	6%
168	24		2895	6.38	7%
175	25		3050	6.72	5%
182	26		3180	7.01	4%
189	27		3285	7.24	3%
196	28		3365	7.42	2%
203	29		3415	7.53	1%
210	30		3460	7.63	1%

Please refer to the Cobb Breeder Management Guide for general flock management recommendations, as well as guidelines concerning post peak feeding.

Weights correspond to the weekly anniversary date.

Weights for weeks 1 through 20 are off-feed weights. From 21 weeks onward, (or when the change is made to everyday feeding), birds can be weighed after a minimum of two hours has passed from the time of complete cleanup of the day's ration.

# Cobb 700 Breeder Management Supplement

## Adult Body Weights

Age	Dark Out Female Body Weight		Open Sided Female Body Weight	
	grams	pounds	grams	pounds
30	3350	7.40	3460	7.63
31	3400	7.50	3480	7.67
32	3450	7.60	3500	7.72
33	3470	7.65	3520	7.76
34	3490	7.70	3540	7.80
35	3515	7.75	3560	7.85
36	3540	7.80	3580	7.89
37	3560	7.85	3600	7.94
38	3580	7.90	3620	7.98
39	3605	7.95	3640	8.02
40	3630	8.00	3660	8.07
41	3645	8.03	3675	8.10
42	3655	8.06	3690	8.14
43	3670	8.09	3705	8.17
44	3685	8.12	3720	8.20
45	3695	8.15	3735	8.23
46	3710	8.18	3750	8.27
47	3725	8.21	3765	8.30
48	3740	8.24	3780	8.33
49	3750	8.27	3795	8.37
50	3760	8.29	3810	8.40
51	3770	8.31	3825	8.43
52	3780	8.33	3840	8.47
53	3790	8.35	3855	8.50
54	3800	8.37	3870	8.53
55	3810	8.39	3885	8.57
56	3815	8.41	3900	8.60
57	3825	8.43	3915	8.63
58	3835	8.45	3930	8.66
59	3840	8.47	3945	8.70
60	3850	8.49	3960	8.73
61	3860	8.51	3975	8.76
62	3870	8.53	3990	8.80
63	3880	8.55	4005	8.83
64	3890	8.58	4020	8.86
65	3900	8.60	4035	8.90

# Cobb 700 Breeder Management Supplement

## Breeder Performance

Age in weeks	Total Eggs (%HW)	Hatching Eggs (%HW)	Mortality (%)	% HE (weekly)	Total Eggs (HH)	Hatch. Eggs (HH)	Weekly (%) Hatch	Chicks (HH)
24	5.0	2.0	0.25	40.0	0.3	0.1	73.0	0.1
25	15.0	12.0	0.50	80.0	1.4	1.0	76.5	0.7
26	35.0	31.5	0.75	90.0	3.8	3.2	80.0	2.5
27	55.0	52.3	1.10	95.0	7.6	6.8	82.0	5.5
28	76.0	73.0	1.50	96.0	12.9	11.8	84.0	9.7
29	80.0	77.6	1.80	97.0	18.4	17.1	85.0	14.2
30	81.0	79.4	2.10	98.0	23.9	22.6	86.0	18.9
31	80.5	78.9	2.40	98.0	29.4	28.0	87.0	23.6
32	80.0	78.4	2.70	98.0	34.9	33.3	88.0	28.3
33	79.5	77.9	3.00	98.0	40.3	38.6	89.0	33.0
34	79.0	77.4	3.25	98.0	45.6	43.8	89.5	37.7
35	78.5	76.9	3.50	98.0	50.9	49.0	90.0	42.4
36	77.5	76.0	3.70	98.0	56.1	54.2	90.0	47.0
37	76.5	75.0	3.90	98.0	61.3	59.2	89.6	51.5
38	75.5	74.0	4.10	98.0	66.4	64.2	89.2	55.9
39	74.5	73.0	4.30	98.0	71.4	69.1	88.8	60.3
40	73.5	72.0	4.50	98.0	76.3	73.9	88.3	64.5
41	72.4	71.0	4.65	98.0	81.1	78.6	87.8	68.7
42	71.4	70.0	4.80	98.0	85.9	83.3	87.3	72.7
43	70.4	69.0	4.90	98.0	90.5	87.9	86.8	76.7
44	69.3	67.9	5.00	98.0	95.2	92.4	86.3	80.6
45	68.2	66.8	5.10	98.0	99.7	96.8	85.8	84.4
46	67.1	65.8	5.20	98.0	104.1	101.2	85.3	88.2
47	66.0	64.7	5.30	98.0	108.5	105.5	84.8	91.8
48	64.9	63.6	5.40	98.0	112.8	109.7	84.3	95.3
49	63.8	62.5	5.50	98.0	117.0	113.8	83.8	98.8
50	62.7	61.4	5.60	98.0	121.2	117.9	83.3	102.2
51	61.6	60.4	5.70	98.0	125.2	121.9	82.8	105.5
52	60.5	59.3	5.80	98.0	129.2	125.8	82.3	108.7
53	59.4	58.2	5.90	98.0	133.1	129.6	81.8	111.8
54	58.3	57.1	6.00	98.0	137.0	133.4	81.3	114.9
55	57.2	56.1	6.10	98.0	140.7	137.1	80.8	117.9
56	56.1	55.0	6.20	98.0	144.4	140.7	80.3	120.8
57	55.0	53.9	6.30	98.0	148.0	144.2	79.8	123.6
58	53.9	52.8	6.40	98.0	151.6	147.7	79.3	126.3
59	52.8	51.7	6.50	98.0	155.0	151.1	78.8	129.0
60	51.7	50.7	6.60	98.0	158.4	154.4	78.3	131.6
61	50.6	49.6	6.70	98.0	161.7	157.6	77.8	134.1
62	49.5	48.5	6.80	98.0	164.9	160.8	77.3	136.6
63	48.4	47.4	6.90	98.0	168.1	163.9	76.8	138.9
64	47.3	46.4	7.00	98.0	171.2	166.9	76.3	141.2
65	46.2	45.3	7.10	98.0	174.2	169.8	75.8	143.5

# Cobb 700 Breeder Management Supplement

## Breeder Flock Fertility and Hatchability

Age in Weeks	Hatchability (%)		Fertility (%)		Hatch of fertiles (%)		Chick No./hen housed	
	Weekly	Cum.	Weekly	Cum.	Weekly	Cum.	Weekly	Cum.
24	73.0	73.0	88.0	88.0	83.0	83.0	0.10	0.1
25	76.5	76.0	90.0	89.7	85.0	84.7	0.64	0.7
26	80.0	78.8	93.0	92.0	86.0	85.6	1.75	2.5
27	82.0	80.5	94.0	93.1	87.2	86.5	2.97	5.5
28	84.0	82.0	95.0	93.9	88.4	87.3	4.23	9.7
29	85.0	82.9	95.0	94.2	89.5	88.0	4.53	14.2
30	86.0	83.7	96.0	94.7	89.6	88.4	4.68	18.9
31	87.0	84.3	96.5	95.0	90.2	88.7	4.69	23.6
32	88.0	84.9	96.5	95.3	91.2	89.1	4.70	28.3
33	89.0	85.5	96.7	95.5	92.0	89.5	4.71	33.0
34	89.5	85.9	96.7	95.6	92.6	89.9	4.69	37.7
35	90.0	86.4	96.7	95.7	93.1	90.2	4.68	42.4
36	90.0	86.7	96.7	95.8	93.1	90.5	4.61	47.0
37	89.6	87.0	96.6	95.9	92.8	90.7	4.52	51.5
38	89.2	87.1	96.6	95.9	92.3	90.8	4.43	55.9
39	88.8	87.3	96.5	96.0	92.0	90.9	4.34	60.3
40	88.3	87.3	96.5	96.0	91.5	91.0	4.25	64.5
41	87.8	87.4	96.4	96.0	91.1	91.0	4.16	68.7
42	87.3	87.3	96.2	96.0	90.7	90.9	4.07	72.7
43	86.8	87.3	96.2	96.0	90.2	90.9	3.99	76.7
44	86.3	87.3	96.1	96.1	89.8	90.9	3.90	80.6
45	85.8	87.2	96.1	96.1	89.3	90.8	3.81	84.4
46	85.3	87.1	96.0	96.1	88.9	90.7	3.72	88.2
47	84.8	87.0	95.7	96.0	88.6	90.6	3.64	91.8
48	84.3	86.9	95.5	96.0	88.3	90.5	3.55	95.3
49	83.8	86.8	95.3	96.0	87.9	90.4	3.47	98.8
50	83.3	86.7	95.0	96.0	87.7	90.3	3.38	102.2
51	82.8	86.6	94.7	95.9	87.4	90.2	3.30	105.5
52	82.3	86.4	94.5	95.9	87.1	90.1	3.22	108.7
53	81.8	86.3	94.2	95.8	86.8	90.1	3.14	111.8
54	81.3	86.1	94.0	95.8	86.5	90.0	3.06	114.9
55	80.8	86.0	93.8	95.7	86.1	89.9	2.98	117.9
56	80.3	85.9	93.2	95.7	86.2	89.8	2.90	120.8
57	79.8	85.7	93.0	95.6	85.8	89.7	2.82	123.6
58	79.3	85.6	92.0	95.5	86.2	89.6	2.74	126.3
59	78.8	85.4	91.5	95.4	86.1	89.5	2.67	129.0
60	78.3	85.3	90.3	95.3	86.7	89.5	2.59	131.6
61	77.8	85.1	90.0	95.2	86.4	89.4	2.52	134.1
62	77.3	84.9	89.0	95.1	86.9	89.4	2.45	136.6
63	76.8	84.8	88.5	94.9	86.8	89.3	2.37	138.9
64	76.3	84.6	87.0	94.8	87.7	89.3	2.30	141.2
65	75.8	84.5	87.0	94.7	87.1	89.2	2.23	143.5

# Cobb 700 Breeder Management Supplement

## Egg Weights

Age Weeks	Egg Weight grams		Age Weeks	Egg Weight grams
24	48.0		45	64.6
25	49.2		46	64.9
26	50.5		47	65.0
27	51.7		48	65.2
28	52.9		49	65.3
29	54.7		50	65.4
30	56.4		51	65.5
31	57.8		52	65.7
32	58.6		53	65.8
33	59.3		54	65.9
34	59.9		55	66.0
35	60.5		56	66.2
36	61.1		57	66.3
37	61.6		58	66.4
38	62.2		59	66.5
39	62.8		60	66.5
40	63.1		61	66.6
41	63.4		62	66.7
42	63.7		63	66.8
43	64.0		64	66.8
44	64.3		65	66.9

Egg weights are dependent on the bodyweight and production level of the hens, as well as the level of nutrition being fed to the flock. These numbers are a guide only, and could vary considerably according to management conditions.

## Cobb 700 Breeder Management Supplement

Recommended digestible amino acid levels  
based on amino acid / lysine ratios

Phase	Starter	Grower/ Pre-breeder	Breeder	Male
Age (days)	0-28	29-154	155+	155+
Lysine	100	100	100	100
Methionine	44	45	47	50
M + C	75	85	86	90
Tryptophan	22	25	25	29
Threonine	70	83	75	93
Arginine	105	100	90	100
Valine	67	75	80	75
Isoleucine	70	83	76	83
Leucine	118	130	112	120
Histidine	32	33	34	35
Phenylalanine	65	65	66	65
P + T	115	120	120	120

## Recommended nutrient levels (% per 1000 kcal / Kg metabolizable energy)

Phase Age (days)	Units	Starter 0-28		Grower 29-125		Pre-breeder** 126-154		Breeder 1 155-280		Breeder 2 281+		Male 155+	
		Dig.	Total	Dig.	Total	Dig.	Total	Dig.	Total	Dig.	Total		Dig.
Crude Protein	%	6.630	5.600	5.600	5.590	5.590	5.240	5.590	5.240	5.240	4.717		
Calcium	%	0.358	0.383	0.383	0.524	0.524	1.119	1.048	1.119	1.119	0.326		
Av. Phosphorus	%	0.160	0.156	0.156	0.157	0.157	0.139	0.157	0.139	0.139	0.163		
Potassium	%	0.215	0.232	0.232	0.227	0.227	0.209	0.227	0.209	0.209	0.218		
Sodium	%	0.067	0.075	0.075	0.066	0.066	0.066	0.066	0.066	0.066	0.069		
Chloride	%	0.067	0.075	0.075	0.066	0.066	0.066	0.066	0.066	0.066	0.069		
Linoleic Acid	%	0.436	0.430	0.430	0.419	0.419	0.349	0.454	0.349	0.349	---		
Amino Acid		Dig.	Total	Dig.	Total	Dig.	Total	Dig.	Total	Dig.	Total	Dig.	Total
Lysine	%	0.322	0.359	0.190	0.230	0.220	0.260	0.230	0.262	0.225	0.255	0.152	0.175
Methionine	%	0.142	0.158	0.086	0.104	0.099	0.117	0.108	0.123	0.106	0.120	0.076	0.088
M + C	%	0.242	0.269	0.162	0.196	0.187	0.221	0.198	0.225	0.194	0.219	0.137	0.158
Tryptophan	%	0.071	0.079	0.048	0.058	0.055	0.065	0.058	0.066	0.056	0.064	0.044	0.051
Threonine	%	0.225	0.251	0.158	0.191	0.183	0.216	0.173	0.199	0.169	0.194	0.141	0.165
Arginine	%	0.338	0.377	0.190	0.230	0.220	0.260	0.207	0.236	0.203	0.230	0.152	0.175
Valine	%	0.216	0.241	0.143	0.173	0.165	0.195	0.184	0.210	0.180	0.204	0.114	0.131
Isoleucine	%	0.225	0.251	0.158	0.191	0.183	0.216	0.175	0.199	0.171	0.194	0.126	0.145
Leucine	%	0.380	0.424	0.247	0.299	0.286	0.338	0.258	0.293	0.252	0.286	0.182	0.210
Histidine	%	0.103	0.115	0.063	0.076	0.073	0.086	0.078	0.089	0.077	0.087	0.053	0.061
Phenylalanine	%	0.209	0.233	0.124	0.150	0.143	0.169	0.152	0.173	0.149	0.168	0.099	0.114
P + T	%	0.370	0.413	0.228	0.276	0.264	0.312	0.276	0.314	0.270	0.306	0.182	0.210

**Example:** To calculate starter crude protein, assuming a 2860 kcal/kg metabolizable energy diet is 2.860 \* 6.630 = 18.96 % crude protein.

**\*\* The use of a pre-breeder is optional but recommended for those flocks that are underweight or below desired body composition prior to light stimulation.**

## Cobb 700 Breeder Management Supplement

### Recommended supplementary levels of vitamins and trace elements per tonne basis.

Phase Age (days)	Units	Starter 0-28	Grower 29-125	Pre-breeder/ Breeder 126+
Vit. A (Maize Diets)	MIU	10	10	12
Vit. A (Wheat Diets)	MIU	11	11	13
Vit D3	MIU	3	3	3
Vit E	KIU	75-80	45-50	50-100
Vit. K	g	3	3	6
Thiamine	g	2	2	2.5-3.5
Riboflavin	g	5-8	5-7	10-16
Pantothenic Acid	g	8-12	8-10	25
Niacin	g	20-40	20-35	40
Pyridoxine	g	3	3	6
Folic Acid	g	1.5	1	4
Vit B12	mg	25	20	35-40
Biotin (Maize Diets)	mg	250	250	300
Biotin (Wheat Diets)	mg	300	300	375
Vit. C	g	25	25	50
Choline	g	300-350	200-300	250-450
Manganese	g	100	100	120
Zinc	g	100	120	110
Iron	g	20-50	20-50	40-55
Copper	g	10-15	10-15	10-15
Iodine	g	1.5	0.5	2
Selenium	g	0.3	0.3	0.3

MIU = million international units; KIU = thousand international units; g = grams; mg = milligrams  
 Supplementary levels of vitamins and trace elements should always be reviewed to ensure total levels do not exceed those set in local legislation.

# Cobb 700 Breeder Management Supplement

---

## Notes

# Cobb 700 Breeder Management Supplement

---

## Notes

