




Company:		House Number:
Rearing Farm:		House Number:
Placement Date:	Female	Male
Number Placed:	Female	Male

Breeder Farm:		House Number:
Date Moved:	Female	Male
Number Transferred:	Female	Male
Point-of-lay Number:	Female	Male

Between 2 to 22 weeks, weights are taken when birds don't have feed in their crop (dry body weight) or at least 6-7 hours after the last feeding.

AGE	WEEKS		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	
	DAYS		0	7	14	21	28	35	42	49	56	63	70	77	84	91	98	105	112	119	126	133	140	147	154	161	168	175
FEMALE BODY WEIGHT	Target	In Season (Dark-out)	0.32	0.62	0.93	1.17	1.43	1.7	1.92	2.14	2.35	2.56	2.76	2.94	3.13	3.31	3.48	3.7	3.98	4.28	4.64	5	5.37	5.73	6.31	6.61	6.94	
	Target	Out of Season	0.33	0.63	0.9	1.21	1.46	1.68	1.9	2.12	2.34	2.54	2.73	2.93	3.13	3.34	3.56	3.8	4.09	4.42	4.78	5.18	5.58	5.95	6.53	6.88	7.14	
	Actual																											
	Weekly Gain																											
	Uniformity																											
FEMALE FEED	Actual (lb/100birds day)																											
	Feed Energy																											
	Feed Type																											
FEMALE MORTALITY	# of Birds																											
	Weekly (%)																											
	Cumulative																											
MALE BODY WEIGHT	Target	Cobb MV Male	0.33	0.75	1.16	1.52	1.83	2.11	2.4	2.69	2.96	3.24	3.51	3.79	4.06	4.34	4.61	4.9	5.19	5.48	5.78	6.09	6.4	6.72	7.36	7.64	7.93	
	Actual																											
	Uniformity																											
MALE FEED	Actual (lb/100birds day)																											
	Feed Energy																											
	Feed Type																											
MALE MORTALITY	# of Birds																											
	Weekly (%)																											
	Cumulative																											
Light Hours																												
Water Consumption																												
Temperature																												



Cobb500™ FF Parent Laying Management Record (Pounds)

COBB-VANTRESS.COM



ONE FAMILY.
ONE PURPOSE.

Company:		House Number:
Rearing Farm:		House Number:
Placement Date:	Female	Male
Number Placed:	Female	Male

Breeder Farm:		House Number:
Date Moved:	Female	Male
Number Transferred:	Female	Male
Point-of-lay Number:	Female	Male
Age at Light Stimulation:		

Age (wks)	Date	Female No.	Male No.	% Egg Prod /week	Female Feed	Female BW In Season	Female BW Out of Season	Female Actual BW	Male Feed	Cobb MV Male Target BW	Male Actual BW	Hatch %
20						5.00	5.18			6.09		
21						5.37	5.58			6.40		
22						5.73	5.95			6.72		
23						6.31	6.53			7.36		
24						6.61	6.88			7.64		
25						6.94	7.14			7.93		
26						7.23	7.36			8.13		
27						7.45	7.58			8.30		
28						7.65	7.78			8.50		
29						7.80	7.94			8.70		
30						7.91	8.07			8.85		
31						8.02	8.16			8.94		
32						8.11	8.23			9.01		
33						8.20	8.31			9.05		
34						8.27	8.38			9.10		
35						8.34	8.44			9.15		
36						8.40	8.50			9.20		
37						8.44	8.55			9.25		
38						8.49	8.60			9.30		
39						8.53	8.64			9.35		
40						8.58	8.69			9.41		
41						8.62	8.73			9.45		
42						8.66	8.77			9.50		

Age (wks)	Date	Female No.	Male No.	% Egg Prod /week	Female Feed	Female BW In Season	Female BW Out of Season	Female Actual BW	Male Feed	Cobb MV Male Target BW	Male Actual BW	Hatch %
43						8.71	8.82			9.55		
44						8.75	8.86			9.60		
45						8.80	8.91			9.65		
46						8.84	8.95			9.70		
47						8.88	8.99			9.76		
48						8.93	9.04			9.80		
49						8.97	9.08			9.85		
50						9.02	9.13			9.90		
51						9.06	9.17			9.94		
52						9.09	9.20			10.00		
53						9.13	9.24			10.06		
54						9.15	9.26			10.10		
55						9.17	9.28			10.15		
56						9.19	9.30			10.20		
57						9.22	9.33			10.25		
58						9.24	9.35			10.30		
59						9.26	9.37			10.35		
60						9.28	9.39			10.40		
61						9.30	9.41			10.45		
62						9.33	9.44			10.50		
63						9.35	9.46			10.55		
64						9.37	9.48			10.59		
65						9.39	9.50			10.65		

